technical data

ROLF BENZ EGO







- Stable wooden inner frame with nosag spring support
- > Seat pad in high-grade polyether
- Back pad in high-grade polyether
- Carcass cover quilted underneath with non-woven polyester
- > Seat cushion


soft:

Core in a carefully coordinated combination of soft layers comprising viscoelastic foam and polyether foam, worked into a matt filled with highly elastic polyether rods and soft polyester fibres. Integrated webs prevent migration of the filling.

medium:

Core in a carefully coordinated combination of highly elastic layers comprising viscoelastic foam and polyether foam, worked into a matt filled with highly elastic polyether rods and soft polyester fibres. Integrated webs prevent migration of the filling.

firm:



Loose back cushion

soft:

Filling of highly elastic polyether rods and soft fibres, worked into ticking chambers to prevent migration of the filling divided by webs are worked in to prevent migration of the filling.

medium:

Filling of highly elastic polyether rods and soft polyester fibres, filling chambers divided by webs are worked in to prevent migration of the filling.

firm:

High-grade polyether, built up in coordinated layers varying in height and firmness, covered in a high-grade non-woven/foam composite

- Modular sofas linked together by coupling brackets.
- Legs in metal or wood in different finishes
 Wave formation and depressions in the seat
 area are unavoidable, due to comfort and design reasons, even in high quality Rolf Benz upholstered furniture. All measurements are approximate.





CLUB ARMCHAIR ROLF BENZ EGO






_ 5.5 . . , ,

- Wooden inner frame
- Elastic webbing
- Back pad in polyether foam
- Loose back cushion: Back cushion in polyether foam, covered with polyester fleece
- Seat comfort:
 medium: Moderately firm seat with comfortable support, due to a progressive structure of highly elastic polyether foam layers of differing degrees of firmness. A snug surface is created by covering the cushion with a mat made from a combination of high-quality fleece and foam. firm: A firm seat cushion made from several polyether foam layers of differing degrees of
- firmness. The progressive structure prevents "sinking" into the seat surface, and provides intensive support.
- Body cover quilted underneath with non-woven polyester
- Optionally 12 mm high plastic glides or casters. With casters, all heights are increased by 3 cm.
- Wave formation and depressions in the seat area are unavoidable, due to comfort and design reasons, even in high quality Rolf Benz upholstered furniture. All measurements are approximate.








RECLINER ROLF BENZ EGO





- Nosag spring support
- Seat made from polyurethane foam with a layered construction and available in various depths and levels of firmness, with polyester fleece cover
- Comfort level firm: two layers of firm foam
- Comfort level medium: soft foam layer on top of firm foam
- Back made from polyether foam, with a layered construction and available in various depths and levels of firmness, with polyester fleece cover
- Back pad made from polyurethane foam, cover quilted with polyester fleece

- > Choice of leg types available:
 - Base plate with 360° swivel mechanism;
 covered in a choice of plastic, silver-painted plate, chromed metal plate
 - Side-piece reaching to the floor with a choice of:
 - , plastic glides or
 - aluminuim finish
- Wave formation and depressions in the seat area are unavoidable, due to comfort and design reasons, even in high quality Rolf Benz upholstered furniture. All measurements are approximate.









^{*}These elements are only shown in the left version. They are also available in the right version.

All technical specifications relevant to the furniture ranges are correct at the time of publication. Subsequent modifications are possible. All dimensions are approximate. For technical reasons, printed pictures of fabric and leather upholstery covers may deviate from the original. Only the original samples provided are binding for the final appearance of the fabric.

