

**NETWORK 110 module central**

**Design**

Rodolfo Dordoni

**Description**

Module (central) for outdoor use

**Structure**

Teak frame. Teak wood contains a natural oily resin which makes it extremely resistant to weather, temperature, parasite attacks and insects. The exposure outdoor creates a 1/2 mm-thick oxidation patina on the wood surface which favors its discoloration to a silver-grey color; this change does not affect its original characteristics in any way. The grey patina can be avoided or removed with the correct maintenance.

**Belts**

Double-twisted 100% polyester thread, in cotton finishing; they have great toughness and great resilience, high resistance to abrasion, to heat, to bending stress, high modulus of elasticity, minimal wet regain, good resistance to chemical agents and to bad weather conditions; color fastness to light of 7 in the blue scale (maximum of the scale: 8); as the time goes by, the exposition to extreme weather conditions may cause a discoloration of the threads.

**Cushions**


Standard or hydro-draining

**Weight**

Structure: 17kg  
Cushions: 4kg

**Storage cover**

Available



**Finishes**



NTW110-01-01



**structure**  
teak\01  
**belt**  
01 grey



NTW110-01-04



**structure**  
teak\01  
**belt**  
04 tobacco

**Maintenance**

**Teak**

- For a normal cleaning, use a soft cloth (not in microfiber), fresh water and SUNDECK SOAP.
- Use SUNDECK WOOD OIL LIGHT, a nutrient and protective oil, on new products to avoid the oxidation of the surface.
- Remove the grey patina due to the oxidation of the surface, useing GREY OFF every 2/3 years. After the treatment with GREY OFF, wash the furniture with water and SUNDECK SOAP and oil it with SUNDECK WOOD OIL LIGHT.
- If deep spots hard to clean with SUNDECK SOAP may happen, sand the surface uniformly before using GREY-OFF; in any case, do not use GREY-OFF more than once a year.

**Belts**

Brush the surface of the belts to remove the dust or clean them using water and neutral soap UNIVERSAL CLEANER. Do not use any abrasive products, acid substances or aggressive chemical solvents.

**Similar products**



MISTRAL 101 sofa



ROAD 141 sofa

## NETWORK 120 sofa

### Design

Rodolfo Dordoni

### Description

2-seater sofa for outdoor use

### Structure

Teak frame. Teak wood contains a natural oily resin which makes it extremely resistant to weather, temperature, parasite attacks and insects. The exposure outdoor creates a 1/2 mm-thick oxidation patina on the wood surface which favors its discoloration to a silver-grey color; this change does not affect its original characteristics in any way. The grey patina can be avoided or removed with the correct maintenance.

### Belts

Double-twisted 100% polyester thread, in cotton finishing; they have great toughness and great resilience, high resistance to abrasion, to heat, to bending stress, high modulus of elasticity, minimal wet regain, good resistance to chemical agents and to bad weather conditions; color fastness to light of 7 in the blue scale (maximum of the scale: 8); as the time goes by, the exposition to extreme weather conditions may cause a discoloration of the threads.

### Cushions

Standard or hydro-draining

### Weight

Structure: 46kg  
Cushionns: 10kg

### Storage cover

Available



### Finishes



NTW120-01-01

NTW120-01-04



### structure

teak\01

### belt

01 grey

### structure

teak\01

### belt

04 tobacco

### Maintenance

#### Teak

- For a normal cleaning, use a soft cloth (not in microfiber), fresh water and SUNDECK SOAP.
- Use SUNDECK WOOD OIL LIGHT, a nutrient and protective oil, on new products to avoid the oxidation of the surface.
- Remove the grey patina due to the oxidation of the surface, useing GREY OFF every 2/3 years. After the treatment with GREY OFF, wash the furniture with water and SUNDECK SOAP and oil it with SUNDECK WOOD OIL LIGHT.
- If deep spots hard to clean with SUNDECK SOAP may happen, sand the surface uniformly before using GREY-OFF; in any case, do not use GREY-OFF more than once a year.

#### Belts

- Brush the surface of the belts to remove the dust or clean them using water and neutral soap UNIVERSAL CLEANER.
- Do not use any abrasive products, acid substances or aggressive chemical solvents.

### Similar products



MISTRAL 102 sofa



ROAD 142 sofa



SPOOL 002 sofa



BASKET 353 module +  
BASKET 337 backrest U

**NETWORK 121 module right**

**Design**

Rodolfo Dordoni

**Description**

Sofa (right module when seated) for outdoor use

**Structure**

Teak frame. Teak wood contains a natural oily resin which makes it extremely resistant to weather, temperature, parasite attacks and insects. The exposure outdoor creates a 1/2 mm-thick oxidation patina on the wood surface which favors its discoloration to a silver-grey color; this change does not affect its original characteristics in any way. The grey patina can be avoided or removed with the correct maintenance.

**Belts**

Double-twisted 100% polyester thread, in cotton finishing; they have great toughness and great resilience, high resistance to abrasion, to heat, to bending stress, high modulus of elasticity, minimal wet regain, good resistance to chemical agents and to bad weather conditions; color fastness to light of 7 in the blue scale (maximum of the scale: 8); as the time goes by, the exposition to extreme weather conditions may cause a discoloration of the threads.

**Cushions**


Standard or hydro-draining

**Weight**

Structure: 38kg  
Cushions: 10kg

**Storage cover**

Available



**Finishes**



NTW121-01-01

NTW121-01-04



**structure**  
teak\01  
**belt**  
01 grey

**structure**  
teak\01  
**belt**  
04 tobacco

**Maintenance**

**Teak**

- For a normal cleaning, use a soft cloth (not in microfiber), fresh water and SUNDECK SOAP.
- Use SUNDECK WOOD OIL LIGHT, a nutrient and protective oil, on new products to avoid the oxidation of the surface.
- Remove the grey patina due to the oxidation of the surface, useing GREY OFF every 2/3 years. After the treatment with GREY OFF, wash the furniture with water and SUNDECK SOAP and oil it with SUNDECK WOOD OIL LIGHT.
- If deep spots hard to clean with SUNDECK SOAP may happen, sand the surface uniformly before using GREY-OFF; in any case, do not use GREY-OFF more than once a year.

**Belts**

Brush the surface of the belts to remove the dust or clean them using water and neutral soap UNIVERSAL CLEANER. Do not use any abrasive products, acid substances or aggressive chemical solvents.

**Similar products**



NETWORK 122 module left

BASKET 357 module + BASKET 338 backrest right

BASKET 357 module + BASKET 339 backrest left

**NETWORK 122 module left**

**Design**

Rodolfo Dordoni

**Description**

Sofa (module left when seated) for outdoor use

**Structure**

Teak frame. Teak wood contains a natural oily resin which makes it extremely resistant to weather, temperature, parasite attacks and insects. The exposure outdoor creates a 1/2 mm-thick oxidation patina on the wood surface which favors its discoloration to a silver-grey color; this change does not affect its original characteristics in any way. The grey patina can be avoided or removed with the correct maintenance.

**Belts**

Double-twisted 100% polyester thread, in cotton finishing; they have great toughness and great resilience, high resistance to abrasion, to heat, to bending stress, high modulus of elasticity, minimal wet regain, good resistance to chemical agents and to bad weather conditions; color fastness to light of 7 in the blue scale (maximum of the scale: 8); as the time goes by, the exposition to extreme weather conditions may cause a discoloration of the threads.

**Cushions**


Standard or hydro-draining

**Weight**

Structure: 38kg  
Cushions: 10kg

**Storage cover**

Available



**Finishes**



NTW122-01-01



**structure**  
teak\01  
**belt**  
01 grey

NTW122-01-04



**structure**  
teak\01  
**belt**  
04 tobacco

**Maintenance**

**Teak**

- For a normal cleaning, use a soft cloth (not in microfiber), fresh water and SUNDECK SOAP.
- Use SUNDECK WOOD OIL LIGHT, a nutrient and protective oil, on new products to avoid the oxidation of the surface.
- Remove the grey patina due to the oxidation of the surface, using GREY OFF every 2/3 years. After the treatment with GREY OFF, wash the furniture with water and SUNDECK SOAP and oil it with SUNDECK WOOD OIL LIGHT.
- If deep spots hard to clean with SUNDECK SOAP may happen, sand the surface uniformly before using GREY-OFF; in any case, do not use GREY-OFF more than once a year.

**Belts**

Brush the surface of the belts to remove the dust or clean them using water and neutral soap UNIVERSAL CLEANER. Do not use any abrasive products, acid substances or aggressive chemical solvents.

**Similar products**



NETWORK 121 module right

BASKET 357 module + BASKET 338 backrest right

BASKET 357 module + BASKET 339 backrest left

## NETWORK 123 module central

### Design

Rodolfo Dordoni

### Description

Sofa (central module) for outdoor use

### Structure

Teak frame. Teak wood contains a natural oily resin which makes it extremely resistant to weather, temperature, parasite attacks and insects. The exposure outdoor creates a 1/2 mm-thick oxidation patina on the wood surface which favors its discoloration to a silver-grey color; this change does not affect its original characteristics in any way. The grey patina can be avoided or removed with the correct maintenance.

### Belts

Double-twisted 100% polyester thread, in cotton finishing; they have great toughness and great resilience, high resistance to abrasion, to heat, to bending stress, high modulus of elasticity, minimal wet regain, good resistance to chemical agents and to bad weather conditions; color fastness to light of 7 in the blue scale (maximum of the scale: 8); as the time goes by, the exposition to extreme weather conditions may cause a discoloration of the threads.

### Cushions


Standard or hydro-draining

### Weight

Structure 30kg  
Cushions: 10kg

### Storage cover

Available



### Finishes



NTW123-01-01



**structure**  
teak\01  
**belt**  
01 grey



NTW123-01-04



**structure**  
teak\01  
**belt**  
04 tobacco

### Maintenance

#### Teak

- For a normal cleaning, use a soft cloth (not in microfiber), fresh water and SUNDECK SOAP.
- Use SUNDECK WOOD OIL LIGHT, a nutrient and protective oil, on new products to avoid the oxidation of the surface.
- Remove the grey patina due to the oxidation of the surface, useing GREY OFF every 2/3 years. After the treatment with GREY OFF, wash the furniture with water and SUNDECK SOAP and oil it with SUNDECK WOOD OIL LIGHT.
- If deep spots hard to clean with SUNDECK SOAP may happen, sand the surface uniformly before using GREY-OFF; in any case, do not use GREY-OFF more than once a year.

#### Belts

- Brush the surface of the belts to remove the dust or clean them using water and neutral soap UNIVERSAL CLEANER.
- Do not use any abrasive products, acid substances or aggressive chemical solvents.

### Similar products



NETWORK 121 module right



NETWORK 122 module left



NETWORK 120 sofa



NETWORK 110 module central

## NETWORK 130 sofa

**Design**

Rodolfo Dordoni

**Description**

3-seater sofa for outdoor use

**Structure**

Teak frame. Teak wood contains a natural oily resin which makes it extremely resistant to weather, temperature, parasite attacks and insects. The exposure outdoor creates a 1/2 mm-thick oxidation patina on the wood surface which favors its discoloration to a silver-grey color; this change does not affect its original characteristics in any way. The grey patina can be avoided or removed with the correct maintenance.

**Belts**

Double-twisted 100% polyester thread, in cotton finishing; they have great toughness and great resilience, high resistance to abrasion, to heat, to bending stress, high modulus of elasticity, minimal wet regain, good resistance to chemical agents and to bad weather conditions; color fastness to light of 7 in the blue scale (maximum of the scale: 8); as the time goes by, the exposition to extreme weather conditions may cause a discoloration of the threads.

**Cushions**


Standard or hydro-draining

**Weight**

Structure: 60kg  
Cushions: 14kg

**Storage cover**

Available



**Finishes**



NTW130-01-01

NTW130-01-04



**structure**  
teak\01  
**belt**  
01 grey



**structure**  
teak\01  
**belt**  
04 tobacco

**Maintenance**

**Teak**

- For a normal cleaning, use a soft cloth (not in microfiber), fresh water and SUNDECK SOAP.
- Use SUNDECK WOOD OIL LIGHT, a nutrient and protective oil, on new products to avoid the oxidation of the surface.
- Remove the grey patina due to the oxidation of the surface, using GREY OFF every 2/3 years. After the treatment with GREY OFF, wash the furniture with water and SUNDECK SOAP and oil it with SUNDECK WOOD OIL LIGHT.
- If deep spots hard to clean with SUNDECK SOAP may happen, sand the surface uniformly before using GREY-OFF; in any case, do not use GREY-OFF more than once a year.

**Belts**

- Brush the surface of the belts to remove the dust or clean them using water and neutral soap UNIVERSAL CLEANER.
- Do not use any abrasive products, acid substances or aggressive chemical solvents.

**Similar products**



MISTRAL 103 sofa



ROAD 143 sofa



SPOOL 003 sofa

**NETWORK 140 module chaise longue**

**Design**

Rodolfo Dordoni

**Description**

Chaise longue module for outdoor use

**Structure**

Teak frame. Teak wood contains a natural oily resin which makes it extremely resistant to weather, temperature, parasite attacks and insects. The exposure outdoor creates a 1/2 mm-thick oxidation patina on the wood surface which favors its discoloration to a silver-grey color; this change does not affect its original characteristics in any way. The grey patina can be avoided or removed with the correct maintenance.

**Belts**

Double-twisted 100% polyester thread, in cotton finishing; they have great toughness and great resilience, high resistance to abrasion, to heat, to bending stress, high modulus of elasticity, minimal wet regain, good resistance to chemical agents and to bad weather conditions; color fastness to light of 7 in the blue scale (maximum of the scale: 8); as the time goes by, the exposition to extreme weather conditions may cause a discoloration of the threads.

**Cushions**

Standard or hydro-draining


**Weight**

Structure: 24kg

Cushions: 9kg

**Storage cover**

Available



**Finishes**



NTW140-01-01



**structure**

teak\01

**belt**

01 grey



NTW140-01-04



**structure**

teak\01

**belt**

04 tobacco

**Maintenance**

**Teak**

- For a normal cleaning, use a soft cloth (not in microfiber), fresh water and SUNDECK SOAP.
- Use SUNDECK WOOD OIL LIGHT, a nutrient and protective oil, on new products to avoid the oxidation of the surface.
- Remove the grey patina due to the oxidation of the surface, using GREY OFF every 2/3 years. After the treatment with GREY OFF, wash the furniture with water and SUNDECK SOAP and oil it with SUNDECK WOOD OIL LIGHT.
- If deep spots hard to clean with SUNDECK SOAP may happen, sand the surface uniformly before using GREY-OFF; in any case, do not use GREY-OFF more than once a year.

**Belts**

Brush the surface of the belts to remove the dust or clean them using water and neutral soap UNIVERSAL CLEANER. Do not use any abrasive products, acid substances or aggressive chemical solvents.

**Similar product**



SPOOL 004 chaise longue