

DESIGNER

Piergiorgio Cazzaniga

DESCRIPTION

The CTR collection is characterised by a tube in powdercoated stainless steel that follows the outline of the chair in one continuous line. The curves of the tube are round while bent in a sharp angle which requires great mastery. With a lightness of touch the open weave of the backrest appears to float unsuspended around the seat. The weave is made of weather-resistant Tricord and gives extra support to the back. The seat is upholstered with a water-repellent cushion which can be removed.

MATERIALS

- Frame: stainless steel, powdercoated with an ultra durable polyester powdercoating
- Back : plaited Tricord (polyolefin)

COLOURS FRAME-X





00-White 89-Wengé

COLOURS BACK-y





10-Linen 89-Wengé







TECHNICAL DRAWINGS*


01118-x-y - Armchair



1

delivery unit: 2 packaging legs: 59 x 58 x 50 cm - 0,20 m³ - 14,6 kg packaging back (2 backs per box): 82 x 65 x 29 cm - 0,15 m³ - 8,6 kg cushion seat: C01118SW

01102-x-y - Clubchair



delivery unit: 2
packaging legs (1 set per box):
76 x 67 x 46 cm - 0,23 m³ - 19 kg
packaging back (2 backs per box):
92 x 92 x 38 cm - 0,32 m³ - 17,5 kg
cushion seat: C01102SW
cushion back (H36cm): C01102BW
cushion high back (H51cm): C01102BHW











01108-x-y - Sofa 156cm



delivery unit: 2
packaging legs (1 set per box):
152 x 67 x 47 cm - 0,48 m³ - 36,4 kg
packaging back (2 backs per box):
173 x 83 x 83 cm - 0,54 m³ - 25 kg
cushion seat: C01108SW

cushion back (H36cm): C01108BW order 2xl cushion high back (H51cm): C01108BHW order 2xl









CUSHIONS

The cushions are available with an **outdoor filling in fabrics D & E**.

The references of the available cushions are listed on the previous pages.

Seat: filling of water permeable dryfoam. This type of filling has an open cell structure so air can circulate freely. Water passes through the filling but dries quickly thanks to the large open pores, inhibiting fungal growth.

Back: the filling of the backs has a cover in a laminated, water-repellent polypropylene which prevents water from penetrating. The thread used to stitch the seams swells when getting wet, preventing water from penetrating through the seams. Moreover, the seams are protected on the inside with an extra covering. If nevertheless water should penetrate, the material is breathable, letting moisture out to prevent moulding.

PROTECTION COVERS

Covers in waterproof, PU-breathable material are available for each item. Colour grey.

MAINTENANCE

Frame: Clean the frame with clear tap water and a pH-neutral fluid detergent. Stubborn stains can be removed with Aluminium Cleaner. We advise to use Metal Protector twice a year which applies an invisible protective film and protects the aluminium against the adhesion of dirt.

Back: Before use, we recommend to treat the Tricord weaving with Textile Protector which applies an invisible dirt and water repellent film. The weaving can be cleaned with clear tap water and a ph-neutral detergent or Synthetics Super Cleaner. Stubborn stains can also be removed with Textile Cleaner.

FRAME:



D9952 Aluminium Cleaner



D9930 Metal Protector Teflon®

BACK:



D9922 Synthetics Super Cleaner



D9925 Textile Cleaner



