
ARK

design David Lopez Quincoces

Armchair with frame composed of birch plywood panels, curved in the
lower part, available veneered in charcoal dyed oak, multilaminar wood
veneer Striped Grey, Stone Oak®, maple with Noce Canaletto edges.Seat and back cushions in polyurethane foam covered with acrylic fibre
flakes and fabric or leather upholstery with non-slip cotton fabric
backing, fully removable with zip. The covers of the back and seat
cushions are joined through a divisible zip.Front legs in ø18 mm drawn round steel, powder-coated gunmetal grey
or burnished colour. Floor support provided by PVC supports with
interchangeable feet (in black PVC or felt) depending on the floor.Seat and back cushions in polyurethane foam covered with acrylic fibre
flakes and fabric or leather upholstery with non-slip cotton fabric
backing, fully removable with zip. The covers of the back and seat
cushions are joined through a divisible zip.



Note

Stone Oak®: this wood owes its particular coloring to an entirely natural process. Because of this, some slabs may look more brown than others. Our commitment is to provide you a high quality product; any differences in color should not be considered as defects.

Striped Grey: it is a decorative multilaminar wood veneer, always finished with a transparent acrylic painting, which features exclusive patterns reproducing the natural characteristics of wood. We would like to remind you that, being a natural and living wooden material, it may present non-homogeneous colour shades, which are peculiarities of the material itself.



Striped Grey



Charcoal-dyed Oak

On request, an additional protective (acrylic solvent) painting is available for the Stone Oak® finishing only. It should be noted that this additional coating slightly changes the natural color and texture of the surface. Although this supplementary painting increases the surface resistance, it is still a natural material; therefore small superficial stains, due to oil or other substances, have to be promptly removed, before being absorbed in depth by the wood. Thus, we recommend regular care and maintenance.

