

SUMO BED

design Piero Lissoni

Double bed with 20x20 mm section tubular steel headboard structure Steel feet ø24 mm h.20 cm painted with gunmetal grey epoxy belted with coated rubber elastic strip springs, padded with differentiated density polyurethane foam, covered with washed and sterilised goose down mattress enclosed in separate sectors. Integrated adjustable mechanisms in various positions, up to a maximum height of 98 cm. Headboards attached to the bed frame by means of threaded pins and knobs to allow removal and removable covers. Bed frame consisting of poplar and fir plywood strips with polyurethane foam padding, covered with a 100% polyether cover coupled with a thermofixed polyamide velveteen backing, assembled to a bed frame made of 60x30 mm section tubular steel painted with black epoxy powders. For the sizes cm.160x200, 180x200, 200x200, 153x203 and 193x203, the bed frame is made in two parts that can be

powders. Floor support guaranteed by PVC supports with interchangeable feet (in black PVC or felt) depending on the floor. Upholstery in fabric or leather entirely removable by means of zips and Velcro straps. 100% cotton cover, ecru colour, attached to the bed frame cover and openable on the sides by means of 2 zips for insertion of bedsprings.

Predisposition for insertion of slatted frame, foreseen dimensions:

- cm. 160x200 or (2) 80x200
- cm. 180x200 or (2) 90x200
- cm. 200x200 or (2) 100x200
- cm. 153x203 Queen size
- cm. 193x203 King size


Feet



Steel with Gunmetal Grey Coating

divided by means of plates, fixed with screws.


Bed Section



Slat base ₉ Bedstead Ground Clearance

0,5 Mattress / Bedstead _____8 Bedstead

Technical Drawings



Notes

For slatted bases and mattresses not supplied by the company, please forward the technical specifications.

For slatted bases and mattresses, please refer to the price list.







